

UNIPLAST[®]

Innovations for Better Tomorrow.



Over **3**[✦] decades of Trust

Dimensions

Dimenzije

Length - volume relation

Odnos dužina - volumen




	Diameter / length Prečnik (širina plašta) tube						
	Ø19	Ø22	Ø25	Ø30	Ø35	Ø40	Ø50
Volume Zapremina (volumen) tube	10 ml	65					
	15 ml	80	65				
	20 ml	100	80	70			
	25 ml		95	80			
	30 ml		110	95	80		
	40 ml			115	95		
	50 ml				110	90	
	60 ml				125	100	
	75 ml				140	115	105
	80 ml					125	110
	100 ml					150	125
	125 ml					175	145
	150 ml						165
	200 ml						130
	250 ml						160
	275 ml						185
	300 ml						200
	min. length	65	65	65	70	85	90
	max. length	110	140	160	160	180	200
							110
							115
							130
							160
							185
							200
							210


Dimensions / Dimenzije (mm.)

D Diameter Prečnik	H Length Dužina		Thread Version Navoj	d Orifice Otvor	Nozzle version	Push-on Version Nabojno grlo	Material Materijal
	min.	max.					
19	65	110	M11 x 1.5	1.5 2.5 4.0 5.0	A	No / Ne	PE / EVOH LDPE 80 / 75 / 50 / 25 / 0 % HDPE 20 / 25 / 50 / 75 / 80 / 100 %
			M11 x 1.25	1.5 2.5 4.0 5.0			
			M9 x 1.25	1.5 2.5 4.0			
			M9 x 1.25 tapered end konusni završetak	1.5			
22	65	140	M11 x 1.5	1.5 2.5 4.0 5.0	A	No / Ne	
			M11 x 1.25	1.5 2.5 4.0 5.0			
			M9 x 1.25	1.5 2.5 4.0			
			M9 x 1.25 tapered end konusni završetak	1.5			
25	65	160	M11 x 1.5	1.5 2.5 4.0 5.0	A	No / Ne	
			M11 x 1.25	1.5 2.5 4.0 5.0			
			M9 x 1.25	1.5 2.5 4.0			
			M9 x 1.25 tapered end konusni završetak	1.5			
30	70	160	M15 x 1.5	1.5 2.5 4.0 5.0 8.0	B	No / Ne	
			ND 13	7.0			
			M11 x 1.25 tapered end konusni završetak	2.2			
35	85	180	M15 x 1.5	2.5 4.0 5.0 8.0	B	Da / Yes	
			M11 x 1.25 tapered end konusni završetak	2.2			
40	90	200	M15 x 1.5	2.5 4.0 5.0 8.0	B	Da / Yes	
			M11 x 1.25 tapered end konusni završetak	2.2			
50	105	210	S22	2.5 4.0 5.0 8.0	C, D	Da / Yes	
			M15 x 1.5	2.5 4.0 5.0 8.0			
			M15 x 1.5 tapered end konusni završetak	5.0			

Mono tubes Jednoslojne tube



Coex tubes Višeslojne tube



Printing Štampa

Dry offset printing up to 6 colours
Ofset do max 6 boja

Screen printing up to 4 colours
Sitoštampa do max 4 boje

Hot stamping
Foliotisak

Glossy varnish
Sjajni lak

Mat varnish
Mat lak



Protection before use -
aluminium foil over the opening
Zaštita prve upotrebe

Caps Zatvarači

Caps Zatvarači

- Colours according to specs
Boje po zahtevu kupca
- Hot stamping
Zlatotisak na zatvaraču
- Tampon print
Tampon štampa
- Opaque or glossy
Mat ili sjajni
- Smooth or ribbed
Glatki ili nazubljeni
- Orientation of flip top
Pozicioniranje flip-top zatvarača
- Classic flip-top
Klasični flip-top
- Soft line flip-top
Soft line flip-top
- Classic screw cap
Klasični navojni
- Soft line screw cap
Soft line navojni
- Small ribbed cap
Konusni nazubljeni
- Flip-top for toothpaste
Flip-top za zubne paste
- Caps for nozzle
Zatvarači za otvor
- Sponge cap
Zatvarač sa sušerom



Development of new cap
in collaboration with
customer.

Razvoj novog zatvarača
u saradnji sa kupcem.




Specifications

Specifikacije



Screws of Mono and Coex Tubes

Navoji jednoslojnih i višeslojnih tuba



Push-on Version

Nabojno grlo



UNITUBE®



UNIPLAST®

Stara pruga 91
32000 Preljina, Čačak
Serbia

+381 60 655 2275
+381 63 539 995

prodaja@uniplast.rs
office@uniplast.rs